

**ADLER**

legno 

oils & waxes

The processing-friendly, natural  
wood refinement for indoor



## ADLER wood refinement as a matter of heart

Wood lives, breathes and warms our souls. It represents the perfect choice for healthy living and creates a pleasant living atmosphere where people can find calm and relaxation. ADLER cares about protecting wood and its beauty. As a leading company in wood refinement, ADLER offers its customers environmentally friendly products with outstanding quality. This commitment and competence of ADLER is confirmed on a regular basis by a host of awards from European research organizations and audits.



The greatest praise, however, comes from the professionals, like for example those carpenters who test the products on behalf of ADLER before being launched. The product line "LEGNO" has passed this practical test: The products are easy to apply and deliver top results. These are the essential conditions to satisfy both professionals and DIY customers.



About the LEGNO products!

## Special features at a glance



### USER FRIENDLY

Easy to use and fast drying times are just two of the features that characterise the LEGNO products. They can be applied by brushing, rolling or wiping.



### UNIVERSAL APPLICATION

Regardless of whether they are applied on a piece of furnishing, wooden floor, parquet or other kinds of indoor wooden surfaces – the LEGNO products are suitable for both softwoods and hardwoods and underline their optical effect and pleasant touch.



### BEST PROTECTION

LEGNO oils and waxes penetrate deep into the surface protecting it from humidity and dirt. This helps to prevent unpleasant spots and residue left by liquids (water, wine, milk, fruit juice).



### PLEASANT AMBIENT CONDITIONS

LEGNO products do not form an impenetrable film on the surface. The wood retains an open-cell structure and reacts to the humidity in the room. It remains flexible, does not dry out and creates pleasant ambient conditions.



### HEALTHY LIVING

Wooden surfaces treated with LEGNO products are totally safe for people and pets. They are also suitable for children's toys (fulfilling ÖNORM EN 71-3 Safety of toys).

## ADLER Legno-Öl

The processing-friendly, quick drying Legno-Öl is suitable for all surfaces made of softwoods and hardwoods used indoors. It penetrates deep into the surface, has a water-repellent effect and emphasises the natural texture of the wood by a very good grain accentuation. Liquids and dirt can be easily wiped off. Wood surfaces treated with Legno-Öl are slip resistant and anti-static. Legno-Öl is odourless and not self-igniting. For optimal protection, apply Legno-Öl twice.

### SPECIAL FEATURES

- Simple usage
- Fast drying
- Durable, water and dirt-repellent
- Slip resistant and anti-static
- Perspiration and spittle-resistant (ÖNORM S 1555)
- For a pleasant feel
- Not self-igniting



Container sizes: 750 ml, 2,5l, 5l

Colourless	50880
White	50881

## ADLER Legno-Zirbenöl

More and more people value the positive influence of the Swiss stone pine on well-being, particularly in bedrooms and leisure areas. The high quality ADLER Legno-Zirbenöl now lets you maintain your furniture made with Swiss stone pine and protect it from stains. The natural properties of the Swiss stone pine and its fragrance are maintained. The Legno-Zirbenöl contains 100 % natural organic Swiss stone pine oil. It is quickly absorbed and water-repellent.

### SPECIAL FEATURES

- Simple usage
- Fast drying
- Water-repellent
- Perspiration and spittle-resistant (ÖNORM S 1555)
- Pleasant feel
- Not self-igniting



Container sizes: 750 ml

Colourless	702800020007
------------	--------------



## ADLER Legno-Color

Those who opt for natural wood refinement do not have to go without a variety of colours. With Legno-Color, ADLER gives you an oil that does not restrict you when it comes to your individual interior design, as it can be tinted in many different shades. This enables elegant colours without covering the texture of the wood. No overlaps occur even on large areas. Instead the result is an even, uniform appearance. After adding colour with Legno-Color, a surface treatment with Legno-Öl, Legno-Wachs or Legno-Hartwachsöl is recommended. The positive properties of Legno-Color and the other Legno products complement each other ideally.

### SPECIAL FEATURES

- Can be tinted in many colours
- Even colouring
- Simple usage
- Very good water resistance
- Not self-igniting



Container sizes: 750 ml, 2,5l, 5l

W30, base for tinting

50875

**Color4You**

### CHOICE OF POSSIBLE COLOURS

Unlimited choice of colours using the ADLER Color4You colour-mixing system.



Ligurien



Navarra



Abruzzen



Toskana



Lombardei



Katalonien

**WOOD TYPE:** Oak

**Coating cycle:** 1 x Legno-Color, 1 x Legno-Öl farblos

Colour deviations compared to the original shade are due to printing technology.



## ADLER Legno-Hartwachsöl

Legno-Hartwachsöl is made of naturally renewable raw materials and combines the positive properties of oils and waxes. This product is particularly environmentally friendly due to its high solids content (> 97%). Unlike other Legno products, it is usually sufficient to apply Legno-Hartwachsöl only once.

### SPECIAL FEATURES

- Simple usage
- Particularly environmentally friendly high-solid product
- Very good grain accentuation with only one coat
- Durable, water and dirt-repellent
- Anti-static
- "Baubook"-compliant – meets the criteria of ecological house building
- Fulfils the UZO6 guidelines



Container sizes: 750 ml, 2,5l

Colourless

50821

## ADLER Legno-Wachs

The product Legno-Wachs forms a water and dirt-repellent protective film on the wood surfaces. It gives them an elegant matt effect, a uniform appearance as well as a soft handle. Particularly pleasant surfaces are achieved if the wax is polished with a brush with leather inserts after overnight drying. The product Legno-Wachs has been classified as not self-igniting and must be applied twice.

### SPECIAL FEATURES

- Simple usage
- Fast drying
- Elegant matt-effect
- Pleasant surface feel
- Anti-static
- Not self-igniting



Container sizes: 750 ml, 5l

Colourless

50890





SAND DOWN SURFACES



REMOVE DUST AND DIRT



APPLY OIL



REMOVE EXCESS

## TIPS & TRICKS: Oiling or waxing furniture

### PRE-TREATMENT AND SANDING

Sand down the piece of furniture with sandpaper of grit size 120 in the direction of the wood grain. Repeat this step with a grit size of 180. Make sure that the wood surface is dry, clean and free of dust, grease and wax.

### FIRST OIL APPLICATION WITH ADLER LEGNO-ÖL

Stir the Legno-Öl well. Apply it thinly with a paint brush or a lint-free cotton cloth. Remove the excess after 5 min. with a dry cotton cloth. Let everything dry for approx. 4 hours under good ventilation

### SECOND OIL APPLICATION WITH ADLER LEGNO-ÖL

Smooth the wood surface before the second application with sandpaper of grit size 280 in the direction of the wood grain. Dust off the piece of furniture. Repeat the application with Legno-Öl. Remove the excess and allow the piece of furniture to dry well. You should treat interiors of furniture and cupboards with just one thin application of Legno-Öl because of a possible unpleasant odour.

For the good of your furniture, you should wait 7 days before fully subjecting it to daily stresses and strains. It will thank you for it!

As an alternative to Legno-Öl, furniture can also be treated twice with the natural Legno-Wachs or Legno-Hartwachsöl from ADLER.





SAND FLOOR



APPLY LEGNO-COLOR



REMOVE EXCESS

REPEAT PROCEDURE  
WITH LEGNO-ÖL OR  
LEGNO-HARTWACHSÖL

## TIPS & TRICKS: Oiling parquet floors or wooden floors

### SAND THE FLOOR

Make sure that your parquet floor is sanded down evenly and is clean and dust-free. Sanding errors can lead to unsightly and uneven colour results.


### ADD COLOUR WITH ADLER LEGNO-COLOR

Stir Legno-Color well before the first application. Start with the corners or the point furthest away and always work towards the exit.

Apply a thin and even coat of Legno-Color with the aid of a flooring paint brush or roller. Carefully remove the excess with a cotton cloth or similar. In this way you will avoid unsightly, shiny stains. Divide large areas into smaller sections to be treated. This will prevent the oil from drying prematurely. Let the floor dry overnight under good ventilation conditions.

### OIL APPLICATION WITH ADLER LEGNO-ÖL

The final application is done with Legno-Öl or Legno-Hartwachsöl. After a drying time of 16 hours, the surfaces can be subjected to light use. Full load-bearing capacity is achieved after approx. one week. Allow your floor this amount of time before putting furniture or carpets in place.



ALWAYS START IN ONE  
CORNER, IN STRIPS  
AND WORK TOWARDS  
THE EXIT!

## ADLER Legno-Reiniger und -Pflegeöl

Stubborn dirt and grease can be removed with Legno-Reiniger. The universal fast drying care-oil Legno-Pflegeöl helps to refresh oiled wooden surfaces. It is absorbed quickly and deeply into the surface. The care oil is distributed evenly on the piece of furniture simply by wiping.

### SPECIAL FEATURES

- Simple usage
- Cleans and refreshes wood surfaces
- Mild odor
- Legno-Pflegeöl penetrates very well



Container sizes: 250 ml, 1 l

Reiniger, colorless

80025

Container sizes: 250 ml

Pflegeöl, colorless

50882

## ADLER Legno-Pflegeset

High quality set for the regular cleaning and care of oiled wood surfaces such as furniture, wood and parquet floors and interior finishing.

### CONTENT

- Legno-Reiniger 125 ml
- Legno-Pflegeöl 125 ml
- Scouring pad
- Cleaning cloth
- Maintenance guideline



Legno-Pflegeset

702900021001





## Furniture maintenance instructions

For the regular maintenance of oiled and waxed surfaces, it is recommended to wipe them with a dry, soft and lint-free cloth. Light soiling such as fingerprints can be removed with a dampened cloth. Add a mild household detergent to the water used for cleaning. It is essential to wipe dry afterwards!

The ADLER Legno-Reiniger and the special ADLER cleaning cloth help against heavy soiling and grease. Wipe down dry afterwards. Slightly scratched areas can be simply polished up and repaired with the cleaning cloth.

To maintain and freshen up oiled areas gently, ADLER recommends an annual treatment with ADLER Legno-Pflegeöl. The surface should be dry and free of dust and grease. Spread the Legno-Pflegeöl thinly and evenly with the cleaning cloth. Allow to dry for ten minutes and wipe off the excess in the direction of the grain.

## Maintenance in case of heavy wear or scratches

### OILED AREAS

In case of heavily worn and damaged areas, sanding in the direction of the grain is recommended. After removing the sanding dust, dampen the cleaning cloth with ADLER Legno-Pflegeöl and spread the oil thinly and evenly. After approx. 10 minutes drying time, wipe off excess in the direction of the grain. If necessary, repeat application after drying overnight.

### WAXED AREAS

To freshen up or renovate waxed surfaces, sand the surface lightly in the direction of the grain. Then apply a thin coat of Legno-Wachs, remove the excess and allow to dry.

LEGNÖ-PFLEGEÖL



SIMPLY APPLY THINLY



SAND SCRATCHED AREAS



APPLY MAINTENANCE OIL OR WAX



## ADLER Legno-Holzbodenseife

The high quality Legno-Holzbodenseife is used for the regular cleaning and maintenance of oiled, waxed or leached wood and parquet flooring, as well as cork and laminate flooring indoors. The high cleaning power removes dirt quickly and simply. The maintenance concentrate contains natural vegetable fats, which clean and maintain the floor with a rehydrating effect. It has a neutral pH value and an antistatic effect. The Legno-Holzbodenseife leaves a silk matt maintenance film behind.

### SPECIAL FEATURES

- Easy to apply
- Cleans, maintains and enhances wood and parquet flooring over the long term
- Universally applicable – also for other oiled areas, such as panelling
- Pleasant matt effect
- Antistatic



Container sizes: 1 l, 2,5 l

Natur 7031000210

## Flooring maintenance instructions

Clean the floor roughly with a broom or vacuum cleaner. Clean the floor with clear water. Fill a bucket with fresh, lukewarm water. Shake the Legno-Holzbodenseife well and add to the water in a ratio of 1:100. Wipe the floor with the soapy water. Do not allow any puddles to stand. The floor can be walked on again once it has dried.



CLEAN THE FLOOR



OBSERVE MIXING RATIO OF SOAP AND WATER



WIPE FLOOR WITH THE SOAPY WATER – DO NOT ALLOW ANY PUDDLES TO STAND!





Paint runs through our veins.



About the LEGNO products!

**ADLER-Werk Lackfabrik · A-6130 Schwaz/Tirol · Bergwerkstr. 22 · T. +43 / 5242 / 6922-0**  
**info@adler-lacke.com · www.adler-lacke.com**

**ADLER Deutschland** GmbH · Kunstmühlstr. 14 · D-83026 Rosenheim · T. 08031/3045174 · **ADLER Lack AG** · Etzelstraße 5  
CH-8856 Tuggen · T. 055/465 2121 **ADLER Polska** Sp. z o.o. · ul. Tyniecka 229 · PL-30-376 Kraków · T. 012/2524001  
**ADLER Slovensko** s.r.o. · Montážna 3 · SK-971 01 Prievidza · T. 046/5199621 · **ADLER Česko** s.r.o. · Pražská 675/10  
CZ - 642 00 Brno - Bosonohy · T. 731 725 957 · **ADLER Italia** S.r.l. · Via per Marco 12/D · I-38068 Rovereto · T. 0464/425308

9891601  
05-2017